



UNIVERSITI PUTRA MALAYSIA

**ISOLATION AND CHARACTERIZATION OF CELLULOSE SYNTHASE GENE
FROM ROSELLE (*Hibiscus sabdariffa* L.)**

SEYEDEHSAREH SEYEDI

FBSB 2014 7



**ISOLATION AND CHARACTERIZATION OF CELLULOSE SYNTHASE
GENE FROM ROSELLE (*Hibiscus sabdariffa* L.)**

By

SEYEDEHSAREH SEYEDI

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia,
in Fulfillment of the Requirements for the Degree of Master of Science**

June 2014

COPYRIGHT

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



Abstract of thesis presented to the Senate of Universiti Putra Malaysia
in fulfillment of the requirement for the degree of Master of Science

**ISOLATION AND CHARACTERIZATION OF CELLULOSE SYNTHASE
GENE FROM ROSELLE (*Hibiscus sabdariffa* L.)**

By

SEYEDEHSAREH SEYEDI

June 2014

Chairman: Professor. Tan Soon Guan, PhD

Faculty: Biotechnology and Biomolecular Sciences

Hibiscus sabdariffa (Roselle) has the potential to be an alternative fibre source for cellulose as a strengthening material in polymer composites. A literature survey has shown scant information regarding utilization of this fiber as reinforcing material. Although roselle was hypothesized to be a potential natural fibre source, there is no study focusing on the fundamental genetics underlying the cellulose biosynthesis machinery in roselle. Isolation of *CesA* gene is important to understand the biosynthesis pathway in roselle. Therefore, the first cellulose synthase gene (*HsCesA1*) of *H. sabdariffa* was isolated and characterized. Full-length *HsCesA1* cDNA of 3528 bp was isolated using RACE PCR, and the start and stop codons, poly A signal, poly A tail, 3' UTR and 5' UTR were identified using in silico analyses. The full-length *HsCesA1* gene with a total length of 5489 bp, which consisted of 12 exons, 11-introns and a promoter region of 737 bp was also isolated using PCR walkin and genome walking respectively. Several important and conserved characteristics were predicted in the *HsCesA1* deduced amino acid sequence such as Cellulose-synt, Glycosyltransferase family A (GT-A), *bcsA*, Zn-finger domain, RING/U-box and domains A and B. These predicted characteristics provided evidence that the isolated gene is possibly a *CesA* and it belongs to the processive class in the glycosyltransferase family A. Semi-quantitative RT-PCR expression study was carried out on both leaf and stem tissues, it was found that *HsCesA1* was expressed in both tissue types and it had similar levels of expression in both young tissues. Phylogenetic and Blast analyses also supported that *HsCesA1* might play roles in both primary and secondary cell wall depositions. However, further investigations must be carried out to confirm the function of this *HsCesA1*. We have isolated the first cellulose synthase gene, full-length *HsCesA1* cDNA with total length of 3528 bp (accession no: KJ608192) and full length *HsCesA1* gene with total length of 5489 bp (accession no: KJ661223). This study generated some genetic information about the structure and putative function of the cellulose synthase gene in the genome of *H. sabdariffa*. In the other words, this study provides information on the primary structure of the *HsCesA1* gene, which is fundamental for working towards understanding the function of the gene in the roselle plant in the future.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia
sebagai memenuhi keperluan untuk ijazah Master Sains

**PENGASINGAN DAN PENCIRIAN GEN SELULOSA SINTASE DARIPADA
ROSELLE (*Hibiscus sabdariffa* L.)**

Oleh

SEYEDEHSAREH SEYEDI

Jun 2014

Pengerusi: Profesor. Tan Soon Guan, PhD

Fakulti: Bioteknologi dan Sains Biomolekul

Hibiscus sabdariffa (Roselle) mempunyai potensi untuk menjadi sumber serat alternatif untuk selulosa sebagai bahan pengukuhan komposit polimer. Tinjauan literatur telah menunjukkan sedikit maklumat mengenai penggunaan serat ini sebagai bahan memperkukuh. Walaupun roselle dihipotesis sebagai sumber serat semula jadi yang berpotensi, tidak ada kajian keatas asas genetik yang mengawal jentera selulosa biosintesis dalam roselle. Pengasingan Cesa gen adalah penting untuk memahami laluan biosintesis dalam roselle. Dengan ini, selulose sintase *H. sabdariffa* yang pertama (*HsCesA1*) telah dipencilkan. Jujukan lengkap cDNA *HsCesA1* 3528 bp (accession no: KJ608192) telah dipencilkan menggunakan RACE PCR, dan codon permulaan dan pemerhentian, isyarat poli A, ekor Poli A, 3' UTR dan 5' UTR telah dikenalpasti menggunakan analisis *in-silico*. Jujukan lengkap gen *HsCesA1* dengan panjang keseluruhan 5489 bp (accession no: KJ661223), terdiri daripada 12 ekson, 11 intron dan rantau pengawalatur sepanjang 737 bp juga berjaya dipencilkan. Beberapa ciri-ciri penting telah diramalkan dalam jujukan amino acid *HsCesA1* seperti selulosa-synt, famili Glycosyltransferase A (GT-A), BCSA, domain Zn-jari, RING / U keselamatan, domain A dan B. Ini membuktikan bahawa gen terpicil mungkin adalah satu gen *CesA* dan ia tergolong dalam kelas prosesif dalam famili glikosiltransferas A. Kajian pengekspresan semi-kuantitatif RT-PCR dijalankan keatas tisu daun dan batang, dan *HsCesA1* mempunyai tahap yang sama bersuara dalam kedua-dua tisu muda. Filogenetik dan analisis Blast juga menyokong bahawa *HsCesA1* mungkin memainkan peranan dalam deposisi sel dinding primer dan sekunder. Walau bagaimanapun, kajian lanjut perlu dilakukan untuk mengesahkan fungsi *HsCesA1*. Kajian ini telah menjana maklumat genetic mengenai struktur dan fungsi putatif gen selulosa sintase di dalam genom *H. sabdariffa*. Dalam kata lain, kajian ini menyediakan maklumat mengenai struktur primer gen *HsCesA1*, yang mana merupakan asas ke arah memahami fungsi gen dalam tumbuhan roselle pada masa akan datang.

ACKNOWLEDGEMENTS

First and foremost, my gratitude goes to my truly kind and devoted supervisor Professor Dr. Soon-Guan Tan. I especially want to extend my heartfelt thanks and deepest gratitude to my dear co-supervisor Dr. Christina Yong who was incredibly efficient, supportive and excellent in guiding me through this novel experience, I also felt having a kind and deeply considerate friend beside me. My grateful appreciation is also due to my co-supervisor Prof. Madya Dr. Parameswari A/P Namasivayam. This project is funded by Research University Grant Scheme initiative 5 (9199675).

My profound and warmest thanks and love to my mother for her love, patience, and encouragement and to my father for his constant support, love and prayers throughout my study. I am forever indebted to my parents. My heartfelt thanks are extended to my sister, Hamideh, for her care, endless emotional support, love and assistance throughout my course of study. I wish to express my sincere appreciation to my close friends Sonia Nikzad, Parastoo Khajeian and Nahid Kalhor for their support and kind wishes. Last but certainly not least, I wish to express my sincere appreciation to all those who not mentioned here that helped me to ensure the completion of my research.

APPROVAL

I certify that a Thesis Examination Committee has met on 9 June 2014 to conduct the final examination of Seyedehsarch Seyedi on her thesis entitled "Isolation and Characterization of Cellulose Synthase Gene from Roselle (*Hibiscus sabdariffa* L.)" in accordance with the Universities and University Colleges Act 1971 and the Constitution of the Universiti Putra Malaysia [P.U.(A) 106] 15 March 1998. The Committee recommends that the student be awarded the Master of Science.

Members of the Thesis Examination Committee were as follows:

Ho Chai Ling, PhD

Associate Professor

Faculty of Biotechnology and Biomolecular Sciences

Universiti Putra Malaysia

(Chairman)

Rozi binti Mohamed, PhD

Associate Professor

Faculty of Forestry

Universiti Putra Malaysia

(Internal Examiner)

Rosimah binti Nulit, PhD

Senior Lecturer

Faculty of Science

Universiti Putra Malaysia

(Internal Examiner)

Wickneswari Ratnam, PhD

Professor

Universiti Kebangsaan Malaysia

Malaysia

(External Examiner)



NORITAH OMAR, PhD

Associate Professor and Deputy Dean

School of Graduate Studies

Universiti Putra Malaysia

Date: 21 July 2014

This thesis submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfillment of the requirements for the degree of Master of Science. The members of the Supervisory Committee were as follows:

Tan Soon Guan, PhD

Professor

Faculty of Biotechnology and Biomolecular of Science

Universiti Putra Malaysia

(Chairman)

Christina Yong, PhD

Senior Lecturer

Faculty of Science

Universiti Putra Malaysia

(Member)

Parameswari A/P Namasivayam, PhD

Associate Professor

Faculty of Biotechnology and Biomolecular Sciences

Universiti Putra Malaysia

(Member)

BUJANG BIN KIM HUAT, PhD

Professor and Dean

School of Graduate Studies

Universiti Putra Malaysia

Date

DECLARATION

Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced; this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.


Signature: _____ Date: _____


Name and Matric No.: _____


Declaration By Members Of Supervisory Committee

This is to inform:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to.

Signature: 
Name of **PROF. DR. TAN SOON GUAN**
Pensyarah
Chairman of Jabatan Biologi Sel dan Molekul
Supervisory Fakulti Bioteknologi dan Sains Biomolekul
Committee: **Tan Soon Guan, PhD**
Universiti Putra Malaysia
43400 UPM Serdang

Signature: 
Name of _____
Member of _____
Supervisory _____
Committee: **Christina Yong, PhD**

Signature: 
Name of _____
Member of _____
Supervisory _____
Committee: **Parameswari A/P Namasivayam, PhD**

PROF. Madya DR. PARAMESWARI A/P NAMASIVAYAM
Pensyarah
Jabatan Biologi Sel dan Molekul
Fakulti Bioteknologi dan Sains Biomolekul
Universiti Putra Malaysia
43400 UPM SERDANG

TABLE OF CONTENTS

ABSTRACT	ii
ABSTRAK	iii
ACKNOWLEDGEMENTS	iv
APPROVAL	v
DECLARATION	vii
LIST OF TABLES	xi
LIST OF FIGURES	xiii
LIST OF ABBREVIATIONS	xv
1 INTRODUCTION	1
1.1 General Background	1
1.2 Problem statement	2
1.3 Objectives	2
2 LITERATURE REVIEW	3
2.1 Hibiscus sabdariffa	3
2.2 Importance of roselle	5
2.3 Fibre	6
2.4 Cellulose	7
2.5 Cellulose-synthase superfamily	9
2.6 Cellulose synthase protein	10
2.7 Cellulose synthase complex	12
2.8 Cellulose biosynthesis	13
3 MATERIALS AND METHODS	17
3.1 Plant Samples	17
3.2 Full-length cDNA isolation	17
3.2.1 RNA extraction and purification	17
3.2.2 RNA electrophoresis	18
3.2.3 Primer design	18
3.2.4 cDNA synthesis	19
3.2.5 RACE PCR	19
3.2.6 Gel electrophoresis and gel purification of RACE PCR products	20
3.2.7 Cloning and sequencing of RACE PCR products	21
3.3 Full-length gene isolation	23
3.3.1 DNA extraction and purification	23
3.3.2 Primer design and PCR amplification	24
3.3.3 Gel purification and Sequencing	26
3.4 Promoter isolation	26
3.4.1 Library construction	26
3.4.2 Genome Walking	27
3.5 In silico data analysis	29
3.5.1 Full-length cDNA analysis	29
3.5.2 Full-length gene analysis	30
3.5.3 Promoter analysis	30
3.6 End point Gene expression	31

3.6.1 RNA extraction	31
3.6.2 Semi quantitative RT-PCR	31
4 RESULTS	33
4.1 Sample preparation	33
4.2 Isolation of full-length cDNA	35
4.2.1 Quality of RNA	35
4.2.2 RACE PCR	35
4.2.3 Sequence analysis of Full-length cDNA	39
4.3 Isolation of full-length gene	50
4.3.1 DNA extraction.	50
4.3.2 Isolation of intronic regions	50
4.3.3 Isolation and sequence analysis of Promoter	51
4.3.4 Data analysis	56
4.4 Reverse Transcription PCR (RT-PCR)	60
5 DISCUSSION	64
5.1 Molecular cloning and characterization of Cesa	64
5.2 Functional analyses of Cesa	67
6 CONCLUSIONS	69
REFERENCES	70
APPENDICES	84
BIODATA OF STUDENT	150